References:

1. A. A. Aly. (2007), Synthesis and Antimicrobial Activity of Some Annelated Quinazoline Derivatives. Journal of the Chinese Chemical Society. 54, 437-446.
2. Ahmed M. Alafeefy, Adnan A. Kadi, Omar A. Al-Deeb, Kamal E.H. El-Tahir, Nabila A. Al-jaber. (2010), Synthesis, Analgesic and Anti-Inflammatory Evaluation of Some Novel Quinazoline Derivatives. European Journal of Medicinal Chemistry. 45, 4947-4952.
3. Asharaf A. Khalil, Sami G. Abdel Hamide, Abdulrahman M. Al-Obaid, Hussein I. El-Subbagh. (2002), Synthesis and In-Vitro Anticancer Evaluation of New 2-Substituted Mercapto-3H-Quinazoline Analogs. Arch. Pharm. Pharm. Med. Chem. 2, 95–103.
4. B. R. Ghalem and B. Mohamed. (2009), Antimicrobial activity evaluation of the oleoresin oil of Pistacia vera L. African Journal of Pharmacy and Pharmacology 3(3), 092-096,
5. Bertrand L. Chenard, Willard M. Welch, James F. Blake, Todd W. Butler, Anthony Reinhold, Frank E. Ewing, Frank S. Menniti, and Martin J. Pagnozzi. (2000), Quinazolin-4-one r-Amino-3-hydroxy-5-methyl-4-isoxazolepropionic Acid (AMPA) Receptor Antagonists: Structure-Activity Relationship of the C-2 Side Chain Tether J. Med. Chem. 44, 1710-1717.
6. Carolyn F Deacon and Jens J Holst. (2007), Linagliptin, A Xanthene-Based Dipeptidyl Pepidase-4 Inhibitor with an Unusual Profile for the Treatment of Type 2 Diabetes. Expert Opin. Investig. Drugs. 19(1), 133-140.
7. Christian Apfel, David W. Banner, Daniel Bur, Michel Dietz, Christian Hubschwerlen, Hans Locher, Frederic Marlin, Raffaello Masciadri, Wolfgang Pirson, and Henri Stalder. (2000), 2-(2-Oxo-1,4-dihydro-2H-quinazolin-3-yl)- and 2-(2,2-Dioxo-1,4-dihydro-2H-2ì6-benzo[1,2,6]thiadiazin-3-yl)-N-hydroxy-acetamides as Potent and Selective Peptide Deformylase Inhibitors. J. Med. Chem. 44, 1847-1852.
8. Dan Wang and Feng Gao. (2013), Quinazoline Derivatives: Synthesis and Bioactivities. Chemistry Central Journal. 7, 95.
9. Dhaval J. Patel, Anantkumar M. Patel and Kishor S. Pandya. (2014), Synthesis and antimicrobial activity of some new quinazoline derivatives. Der Chemica Sinica, 5(2), 37-43.

10. Guang-Fang Xu, Bao-An Song, Pinaki S. Bhadury, Song Yang, Pei-Quan Zhang, Lin-Hong Jin, Wei Xue, De-Yu Hu and Ping Lu. (2007), Synthesis and antifungal activity of novel s-substituted 6-fluoro-4-alkyl (aryl) thioquinazoline derivatives. Bioorganic & Medicinal Chemistry. 15, 3768–3774.
11. Imtiaz Khan, Aliya Ibrar, Naeem Abbas, Aamer Saeed. (2014), Recent advances in the structural library of functionalized quinazoline and quinazolinone scaffolds: Synthetic approaches and multifarious applications. European Journal of Medicinal Chemistry 76, 193-244.
12. Jacqueline Chevalier, Abdallah Mahamoud, Milad Baitiche, Elissavet Adam, Miguel Viveiros, Adriana Smarandache, Andra Militaru, Mihail L. Pascu, Leonard Amaral, Jean-Marie Pagès. (2010), Quinazoline Derivatives Are Efficient Chemosensitizers of Antibiotic Activity in Enterobacter Aerogenes, Klebsiella Pneumoniae and Pseudomonas Aeruginosa Resistant Strains International Journal of Antimicrobial Agents. 36, 164–168.
13. Jian Guan, Quan Zhang, Michael O'Neil, Nicanor Obaldia III, Arba Ager, Lucia Gerena, Ai J. Lin. (2005), Antimalarial Activities Of New Pyrrolo[3,2-F]Quinazoline-1,3-Diamine Derivatives. Antimicrobial Agents and Chemotherapy. 49(12), 4928–4933.
14. Jiri Kunes, Jaroslav Bazant, Milan Pour, Karel Waisser, Milan S&Losarek, Jiri Janota. Quinazoline Derivatives with Antitubercular Activity. (2000), J. Kunesˇ Et Al.:Il Farmaco, 55, 725–729.
15. Lyudmila Antipenko, Alexander Karpenko, Sergey Kovalenko, Andrew Katsev, Elena Komarovska-Porokhnyavets, Vladimir Novikov, and Aleksey Chekotilo. (2009), Synthesis Of New 2-Thio-[1,2,4]Triazolo[1,5-C]Quinazoline Derivatives And Its Antimicrobial Activity. Chem. Pharm. Bull. 57(6) 580—585.
16. M. M. Ghorab, S.M. Abdel-Gawad, M.S.A. El-Gaby. (2000), Synthesis and evaluation of some new fluorinated hydroquinazoline derivatives as antifungal agents. Il Farmaco 55, 249–255.
17. Maher A El-Hashash, Sameh A Rizk, Fakhry A El-Bassiouny. (2011), Reactivity of 2-Ethoxyquinazolin- 4-Yl Hydrazine and Its Use in Synthesis of Novel Quinazoline Derivatives of Antimicrobial Activity. Global Journal of Health Science. 4(1), 174-183.

18. Malleshappa N. Noolvi, Harun M. Patel. (2010), Synthesis, Method Optimization, Anticancer Activity Of 2,3,7-Trisubstituted Quinazoline Derivatives And Targeting EGFR-Tyrosine Kinase By Rational Approach. Arabian Journal of Chemistry. 6, 35-48.
19. Malleshappa N. Noolvi, Harun M. Patel, Varun Bhardwaj, Ankit Chauhan. (2011), Synthesis and In Vitro Antitumor Activity of Substituted Quinazoline and Quinoxaline Derivatives: Search for Anticancer Agent. European Journal of Medicinal Chemistry 46, 2327-2346.
20. Mohammad Asif. (2014), Chemical characteristics, synthetic methods, and biological potential of quinazoline and quinazolinone derivatives. International journal of medicinal chemistry. 1-27.
21. Mosselhi Abdelnabi Mosselhi, Magda Ahmed Abdallah, Nadia Hanavy Metwally, Ibrahim Adel El-Desoky, and Laila Mohamed Break. (2009), Synthesis, structure and antimicrobial evaluation of new derivatives of theophylline sugar hydrazones. ARKIVOC. (XIV), 53-63.
22. Mostafa M. Ghorab, Zienab H. Ismail, Mohamed Abdalla. (2010), Synthesis And Biological Activities Of Some Novel Triazoloquinazolines And Triazinoquinazolines Containing Benzenesulfonamide Moieties. Arzneimittelforschung. 60(2), 87-95.
23. N. C. Desai, Amit Dodiya. Nayan Bhatt, Mukesh Kumar. (2011), Dimeric 2-(2-chlorophenyl)-quinazolin-4-ones as potential antimicrobial agents. Med Chem Res. 21, 1127–1135.
24. N. C. Desai and Amit M. Dodiya. (2011), Synthesis, characterization and antimicrobial screening of quinoline based quinazolinone-4-thiazolidinone heterocycles. Arabian Journal of Chemistry. 7(6), 906-913.
25. P. Mani Chandrika, T. Yakaiah, A. Raghu Ram Rao, B. Narsaiah, N. Chakra Reddy, V. Sridhar, J. Venkateshwara Rao. (2009), Synthesis Of Novel 4,6-Disubstituted Quinazoline Derivatives, Their Anti-Inflammatory And Anti-Cancer Activity (Cytotoxic) Against U937 Leukemia Cell Lines. European Journal of Medicinal Chemistry. 43, 846-852.
26. Ravindra Kumar and Dr. hemant Parmar (2015), A Study of Substituted Thiazolidinones: Synthesis and Antimicrobial Evaluation Of 2-[{5-Chloro-3-Methyl-1-(4- Methylpyridin-2-Yl) Pyrazolidin-4-Yl}-3-Substituted

Phenylthiazolidin-4-Ones. World Journal of Pharmacy and Pharmaceutical Sciences. 4(06), 487-496.

27. Rashad A. Al-Salahi, Ibrahim Al-Swaidan, Mohamed A. Al-Omer and Mohamed S. Marzouk. (2013), Synthesis and antimicrobial activity of new 2-phenoxy-[1,2,4]triazolo[1,5-a]quinazoline derivatives. Life Science Journal 10(4), 2018-2028.
28. Rondla Rohini, P. Muralidhar Reddy, Kanne Shanker, Anren Hu, Vadde Ravinder. (2010), Antimicrobial study of newly synthesized 6-substituted indolo[1,2-c]quinazolines. European Journal of Medicinal Chemistry. 45, 1200–1205.
29. Sandip K. Kundu, Mathew P. D. Mahindaratne, Maritza V. Quintero, Ande Bao, and George R. Negrete. (2008), One-Pot Reductive Cyclization To Antitumor Quinazoline Precursors. ARKIVOC. (II) 33-42.
30. Siqueira J F Jr and H. P. Lopes. (1999), Mechanisms of antimicrobial activity of calcium hydroxide. International Endodontic Journal, 32, 361-369, 1999.
31. Sona Jantova, Stefan Stankovsky & Katarina Spirkova. (2004), In vitro antibacterial activity of ten series of substituted quinazolines. Biologia, Bratislava, 59(6), 741-752
32. Veerachamy Alagarsamy and Urvishbhai S. Pathak. (2007), Synthesis And Antihypertensive Activity Of Novel 3-Benzyl-2-Substituted-3H-[1,2,4]Triazolo[5,1b]Quinazolin-9-Ones. Bioorganic & Medicinal Chemistry 15, 3457–3462.
33. Veerachamy Alagarsamy, Rajani Giridhar and Mangae Ram Yadav. (2005), Synthesis And H1-Antihistaminic Activity Of Some Novel 1-Substituted-4-(3-Methylphenyl) 1,2,4-Triazolo[4,3-A]Quinazolin-5(4H)-Ones. Biol. Pharm. Bull. 28(8), 1531—1534.
34. Wainwright, M. (1989), Moulds in ancient and more recent medicine. Mycologist, 3(1), 21–23. Doi: 10.1016/s0269-915x(89)80010-2.
35. Xingwen Gao, Xuejian Cai, Kai Yan, Baoan Song, Lili Gao and Zhuo Chen. (2007), Synthesis and Antiviral Bioactivities of 2-Aryl- or 2-Methyl-3-(substituted-Benzalamino)-4(3H)-quinazolinone Derivatives. Molecules 12, 2621-2642.

36. Y. Kabri, A. Gellis, P. Vanelle. (2008), Microwave-Assisted Synthesis In Aqueous Medium of New Quinazoline Derivatives As Agent Precursors. Green Chem., 11, 201-208.
37. Youssef Kabri, Nadine Azas, Aure´ Lien Dume` Tre, Se´ Bastien Hutter, Miche` Le Laget,Pierre Verhaeghe, Armand Gellis, Patrice Vanelle. (2009), Original Quinazoline Derivatives Displaying Antiplasmodial Properties. European Journal of Medicinal Chemistry. 45, 616–622.